



City of Seattle

Seattle City Light

June 5,, 2013

Aaron Lambert
Remedial Project Manager
Environmental Cleanup Office, ECL-111
1200 Sixth Avenue, Suite 900
Seattle, WA 98101

RECEIVED

JUN 05 2013

OFFICE OF
ENVIRONMENTAL CLEANUP

Re: Tenth submittal pursuant to the City of Seattle's Section 104(e) of CERCLA for the Lower Duwamish Waterway Superfund Site, Seattle, Washington

Dear Mr. Lambert:

The City of Seattle is pleased to submit to EPA the tenth phase of its response to EPA's Request for Information under section 104(e) of CERCLA. In this phase the City is providing complete responses for Alaska, Hill, Rainier, Spokane Street, and Yesler Substations and a revised response for Seattle City Light's South Service Center. The City also is providing answers to Question 1 (all subparts) as it relates to information submitted in this phase.

Attachments to this letter include:

1. Responses to Questions 2.a. through 2.o. and 4.a. through 4.c. for Alaska Substation, Hill Substation, Rainier Substation, Spokane Street Substation, Yesler Substation, and South Service Center.
2. Responses to Questions 1.a. through 1.c. regarding information provided in this submittal.
3. An updated spreadsheet (1.d. Table of Properties, City of Seattle Phase 10 Response).
4. A DVD (*Request to City of Seattle, Phase 10 Response (Litigation e Discovery LLC)*) containing the documents gathered in support of the responses provided and a Response Index as requested in Instruction 2. The documents are provided as PDF files compatible with Adobe Acrobat version 8.0, and each document has been made text-searchable through OCR conversion, as requested in Instruction 3. Please note that the OCR process may not have translated well for some older documents in this submittal. To



700 Fifth Avenue, Suite 3200, P.O. Box 34023, Seattle, WA 98124-4023
Tel: (206) 684-3000, TTY/TDD: (206) 684-3225, Fax: (206) 625-3709

An equal employment opportunity employer. Accommodations for people with disabilities provided upon request.

USEPA SF



1418241

Aaron Lambert
Remedial Project Manager
June 5, 2013
Page 2

that end the Response Index includes a field indicating the general quality level of the OCR process for each document.

5. Hard copies of oversize plans and maps provided in response to EPA's request. Each oversize document is indexed in electronic form on the Phase 10 Response DVD described above.

The City of Seattle anticipates completing its response to EPA's Request for Information by August 31, 2013.

Sincerely,



William T. Devereaux, Manager
Environmental Management and Compliance Unit

Enclosures

cc: Alexander Fidis (EPA)
Laura Wishik (Law)
Jo Bruskotter(Law)

